

Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

1 Identification

- · Product identifier
- · Trade name: UHU AP T&G REN BS 35ML*12 ITEL
- · Application of the substance / the mixture Adhesive
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

UHU GmbH & Co.KG

Herrmannstraße 7

D-77815 Bühl (Baden)

Tel.:0049-(0)7223-284-0

E-mail: sds@boltonadhesives.com

· Information department: UHU QESH

· Emergency telephone number:

Tel.: + 49 (0) 30/19240 (Notruf) Tel.: + 49 (0) 72 23/28 40

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description**: Adhesive

(Contd. on page 2)

Fax: 0049-(0)7223-284-245

1/8 www.uhu.com



Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

Trade name: UHU AP T&G REN BS 35ML*12 ITEL

(Contd. of page 1)

· Dangerous components:

56-81-5 glycerol

2.5-10%

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

P	Δ	C.	.1	•

56-81-5 glycerol

45 mg/m³

· PAC-2:

56-81-5 glycerol

180 mg/m³

(Contd. on page 3)

www.uhu.com 2/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

Trade name: UHU AP T&G REN BS 35ML*12 ITEL

(Contd. of page 2)

· PAC-3:

56-81-5 glycerol

1,100 mg/m³

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

(Contd. on page 4)

US-US

www.uhu.com 3/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

Trade name: UHU AP T&G REN BS 35ML*12 ITEL

(Contd. of page 3)

· Eye protection: Goggles recommended during refilling.

Physical and chemical prope	rties	
Information on basic physical and chemical properties		
General Information		
Appearance:	Fluid	
Form: Color:	Fluid According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	199 °C (390.2 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	400 °C (752 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	~1.041 g/cm³ (~8.687 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Fully missible	
Partition coefficient (n-octanol/wat	Fully miscible.	
Viscosity:	or). Not dotominiod.	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	10.0 %	
Water: VOC content:	54.4 %	

US-US

www.uhu.com



Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

Trade name: UHU AP T&G REN BS 35ML*12 ITEL

'			
(Contd.	. OT	page	4

	(Oonid. of page 4)
Solids content:	35.6 %
· Other information	All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

56-81-5 glycerol

Oral LD50 12600 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Germ cell mutagenicity Not applicable.

US-US -

(Contd. on page 6)

www.uhu.com 5/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

Trade name: UHU AP T&G REN BS 35ML*12 ITEL

(Contd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT not regulated · ADR/ADN, IMDG, IATA not regulated · UN proper shipping name · DOT, ADR/ADN, IMDG, IATA not regulated · Transport hazard class(es) · DOT, ADR/ADN, ADN, IMDG, IATA · Class not regulated · Packing group · DOT. ADR/ADN. IMDG. IATA not regulated · Environmental hazards: Not applicable. Not applicable. Special precautions for user

(Contd. on page 7)

US-US

www.uhu.com 6/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

Trade name: UHU AP T&G REN BS 35ML*12 ITEL

(Contd. of page 6)

	(Germa: er page e				
· Transport in bulk according to Annex II of					
MARPOL73/78 and the IBC Code	Not applicable.				
· Transport/Additional information:	Not dangerous according to the above specification				
· UN "Model Regulation":	not regulated				
TON Woder Regulation .	not regulated				

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

52-51-7 bronopol (INN)

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

9005-25-8 Starch A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 8)

US-US

www.uhu.com 7/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2023 Reviewed on 05/21/2023

Trade name: UHU AP T&G REN BS 35ML*12 ITEL

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: UHU QESH
- · Contact: UHU QESH
- Date of preparation / last revision 05/21/2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

* Data compared to the previous version altered.

US-US

www.uhu.com 8/8