

HPD UNIQUE IDENTIFIER: 27803

CLASSIFICATION: 07 21 13 Board Insulation

PRODUCT DESCRIPTION: ROXUL Safe™ 55, ROXUL Safe™ 65 and Plus™ MB are lightweight to medium weight stone wool insulation boards designed for fire wall applications. They are non-combustible and fire resistant and will not produce toxic smoke or promote flame spread. As a result, they provide high-temperature fire protection, particularly when a fire separation wall is required. ROXUL Safe™ 55 and ROXUL™ Safe 65 are UL/ULC tested and approved for 1hr and 2hr fire-rated assemblies. Rockwool™ is part of Rockwool International A/S, also known as Rockwool Group.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities, and All Substances Above the Threshold Indicated Are: Characterized, Screened, Identified. Includes radio button options for various settings.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ROCKWOOL PLUS™ MB, ROXUL SAFE™ 55 AND 65: STONE WOOL INSULATION, FIRE STOPPING [ STONE WOOL, BIOSOLUBLE LT-UNK SYRUPS, HYDROLYZED STARCH NoGS PHENOL, POLYMER WITH FORMALDEHYDE LT-P1 | RES UREA LT-UNK UNDISCLOSED LT-1 ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This product is not considered identified due to the proprietary nature of some chemicals within the product's formulation.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Radio button options: Yes, No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #:

SCREENING DATE: 2021-03-05

PUBLISHED DATE: 2022-03-14

EXPIRY DATE: 2024-03-05

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### ROCKWOOL PLUS™ MB, ROXUL SAFE™ 55 AND 65: STONE WOOL INSULATION, FIRE STOPPING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED:  
Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered following standard industry methods.

OTHER PRODUCT NOTES: This declaration is based on pre-cured breakdown of the material ingredients. A mixture of chemicals called binder is applied on the stone wool fibers to adhere them together. The liquid binder turns into solid after chemicals react during the curing process. Therefore, hazard warnings on the HPD might not be applicable as the physical state of a chemical changes during the curing process.

#### STONE WOOL, BIOSOLUBLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-05 13:23:17

#: 95.0000 - 100.0000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Stone wool products produced by ROCKWOOL are continually monitored and are in fulfilment of the CLP regulation Annex VI Note Q conditions (stone wool can also be referenced by the EC Number: 926-099-9).

The pre-consumer recycled content comes primarily from recycled slag.

The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

#### SYRUPS, HYDROLYZED STARCH

ID: 8029-43-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-05 13:23:17

#: 1.0000 - 2.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Forms part of the binder which adheres the fibres in the final product.

The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

#### PHENOL, POLYMER WITH FORMALDEHYDE

ID: 9003-35-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-05 13:23:17

#: 0.0000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Forms part of the binder which adheres the fibres in the final product.

The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

## UREA

ID: **57-13-6**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2021-03-05 13:23:18</b>			
%: <b>0.0000 - 1.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Forms part of the binder which adheres the fibres in the final product.

The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

## UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Toxnot Chemical Hazard Screening Library</b>	HAZARD SCREENING DATE: <b>2021-01-18 18:40:07</b>			
%: <b>0.0000 - 1.0000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Dedusting</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A de-duster oil used to control and reduce dust. The de-duster oil is considered proprietary by the manufacturer.

The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Grand Forks, British Columbia, Canada; Milton, Ontario, Canada; and Marshall County, Mississippi, USA CERTIFICATE URL: <a href="https://www.rockwool.com/about/sustainability/certifications-and-listings/#voc">https://www.rockwool.com/about/sustainability/certifications-and-listings/#voc</a>	ISSUE DATE: 2020-09-17	EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Plus™ MB, Roxul Safe™ 55, and Roxul Safe™ 65 demonstrate compliance with CDPH Standard Method V1.2 (Section 01350/CHPS) under the classroom environment scenario.			

LCA	Environmental Product Declaration		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Grand Forks, British Columbia, Canada; Milton, Ontario, Canada; and Marshall County, Mississippi, USA CERTIFICATE URL: <a href="https://www.rockwool.com/siteassets/o2-rockwool/documentation/epd/rockwool-stone-wool-environmental-product-declaration-epd.pdf#">https://www.rockwool.com/siteassets/o2-rockwool/documentation/epd/rockwool-stone-wool-environmental-product-declaration-epd.pdf#</a>	ISSUE DATE: 2019-07-17	EXPIRY DATE: 2024-06-17	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: The environmental impact reference product was SAFE'n'SOUND®. To calculate product-specific environmental impacts of the products covered by this HPD, apply the relevant scaling factor found on page 3 of the EPD (as well as the environmental impact factor for faced materials, if applicable, which can be found in the Annex of the EPD).			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

This HPD covers the following products: Plus™ MB, Roxul Safe™ 55, and Roxul Safe™ 65. These products have the same compositional chemistry, except at different percent by weights. This variance is limited to 10% or less of the total mass of each product.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** ROCKWOOL Inc.  
**ADDRESS:** 8024 Esquesing Line  
 Milton Ontario L9T 6W3, Canada  
**WEBSITE:** rockwool.com

**CONTACT NAME:** Alejandra Nieto  
**TITLE:** Technical Manager - Sustainability & Research  
**PHONE:** 1-800-265-6878  
**EMAIL:** alejandra.nieto@rockwool.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*