### **Biobased PU Resilient** by Shaw Contract

### **Health Product Declaration v2.3** created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 813815808 CLASSIFICATION: 09 65 00 Resilient Flooring PRODUCT DESCRIPTION: This HPD represents the Biobased PU Resilient flooring category, both plank and sheet configurations.

# Section 1: Summary

## CONTENT INVENTORY

- Inventory Reporting Format
- O Nested Materials Method Basic Method
   A
- **Threshold Disclosed Per**
- C Material
- O Product
- Threshold Level C 100 ppm • 1,000 ppm O Per GHS SDS O Other

**Residuals/Impurities Evaluation** 

C Completed C Partially Completed Not Completed

Explanation(s) provided : • Yes • No

# **Basic Method / Product Threshold**

| For all contents above the threshold, the | e manufacturer has: |
|---|---------------------|
| Characterized                             | ⊙ Yes ⊖ No          |
| Provided weight and role.                 |                     |
| Screened                                  | • Yes O No          |
| Provided screening results using HPDC-    | -approved           |
| methods.                                  |                     |
| Identified                                | O Yes 🖸 No          |
| Provided name and CAS RN or other ide     | entifier.           |

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE** | HAZARD TYPE

BIOBASED PU RESILIENT [ CALCIUM CARBONATE BM-3 | EYE POLYURETHANE LT-UNK ALUMINUM HYDROXIDE BM-2 | SKI | EYE ZEOLITE LT-UNK | MAM POLYETHYLENE TEREPHTHALATE (PET) LT-P1 CELLULOSE LT-UNK FIBERGLASS LT-UNK UNDISCLOSED LT-UNK ]

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1 Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

All ingredients have been screened against HPD authoritative lists, but not all CAS #'s have been disclosed to protect proprietary formulations.

### **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listinas. VOC emissions: FloorScore® : Cradle to Cradle™ Certified V3.1 Silver

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

| Third Party Verified? | PREPARER: Self-Prepared | SCREENING DATE: 2024-01-29 |
|-----------------------|-------------------------|----------------------------|
| © Yes                 | VERIFIER:               | PUBLISHED DATE: 2024-01-29 |
| © No                  | VERIFICATION #:         | EXPIRY DATE: 2027-01-29    |
|                       |                         |                            |

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### **BIOBASED PU RESILIENT** PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: All ingredients at or above 1000 ppm are included in this HPD. Any residuals and impurities below 1000 ppm are below the reporting threshold and are not considered. This is based on information provided to us by our raw material suppliers.

OTHER PRODUCT NOTES:

| CALCIUM CARBONATE           |                                      |          |                      | ID: <b>471-34-1</b>                       |
|-----------------------------|--------------------------------------|----------|----------------------|---|
| HAZARD DATA SOURCE: P       | Pharos Chemical and Materials Librar | у        | HAZARD S             | CREENING DATE: 2024-01-29 14:03:18        |
| %: <b>55.0000 - 74.0000</b> | GreenScreen: BM-3                    | RC: None | NANO: No             | SUBSTANCE ROLE: Filler                    |
| HAZARD TYPE                 | LIST NAME AND SOURCE                 |          | WARNINGS             |   |
| EYE                         | GHS - New Zealand                    |          | Eye irritation categ | jory 2                                    |
| ADDITIONAL LISTINGS         | LIST NAME AND SOURCE                 |          | NOTIFICATION         |   |
| None found                  |                                      |          | No                   | listings found on Additional Hazard Lists |
|                             |                                      |          |                      |   |

SUBSTANCE NOTES:

| SCREENING DATE: 2024-01-29 14:03:1           | HAZARD       |          | Pharos Chemical and Materials Library | HAZARD DATA SOURCE:  |
|--|--------------|----------|---------------------------------------|----------------------|
| SUBSTANCE ROLE: Polymer species              | NANO: No     | RC: None | GreenScreen: LT-UNK                   | %: 20.0000 - 35.0000 |
|  | WARNINGS     |          | LIST NAME AND SOURCE                  | HAZARD TYPE          |
| arnings found on HPD Priority Hazard Lists   | No w         |          |                                       | None found           |
|  | NOTIFICATION |          | LIST NAME AND SOURCE                  | ADDITIONAL LISTINGS  |
| No listings found on Additional Hazard Lists | 1            |          |                                       | None found           |
|  |              |          |                                       | SUBSTANCE NOTES:     |
| ID: <b>21645-51</b> -                        |              |          |                                       | ALUMINUM HYDROXIDE   |
| SCREENING DATE: 2024-01-29 14:03:1           | HAZARD       |          | Pharos Chemical and Materials Library | HAZARD DATA SOURCE:  |
| SUBSTANCE ROLE: Flame retardant              | NANO: No     | RC: None | GreenScreen: BM-2                     | %: 1.0000 - 3.0000   |

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS   |
|---------------------|---|--|
| SKI                 | GHS - New Zealand                                       | Skin irritation category 2   |
| EYE                 | GHS - New Zealand                                       | Eye irritation category 2  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances<br>List (RSL) - Effective July 1, 2022 |
|                     |   | Biological and Environmentally Released Materials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances<br>List (RSL) - Effective July 1, 2022 |
|                     |   | Children's Products  |

SUBSTANCE NOTES:

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library |          | HAZARD SO   | CREENING DATE: 2024-01-29 14:03:19        |
|---------------------|---------------------------------------|----------|---|---|
| %: 1.0000 - 3.0000  | GreenScreen: LT-UNK                   | RC: None | NANO: No  | SUBSTANCE ROLE: Filler                    |
| HAZARD TYPE         | LIST NAME AND SOURCE                  |          | WARNINGS  |   |
| МАМ                 | GHS - Japan                           |          | H372 - Causes damage to organs through prolonged o<br>repeated exposure [Specific target organs/systemic tox<br>following repeated exposure - Category 1] |   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  |          | NOTIFICATION  |   |
| None found          |                                       |          | No  | listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Librar | /        | HAZARD       | SCREENING DATE: 2024-01-29 14:07:5           |
|---------------------|--------------------------------------|----------|--------------|--|
| %: 0.0000 - 3.0000  | GreenScreen: LT-P1                   | RC: None | NANO: No     | SUBSTANCE ROLE: Polymer species              |
| HAZARD TYPE         | LIST NAME AND SOURCE                 |          | WARNINGS     |  |
| None found          |                                      |          | No w         | varnings found on HPD Priority Hazard Lists  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                 |          | NOTIFICATION | l  |
| None found          |                                      |          |              | No listings found on Additional Hazard Lists |

| ID: | 00 | <b>N</b> / | -24 | -6 |
|-----|----|------------|-----|----|
| ID. | 30 | 04         | -34 | -0 |

| AZARD DATA SOURCE:        | Pharos Chemical and Materials Library |          | HAZAF       | RD SCREENING DATE: 2024-01-29 14:03:15       |
|---------------------------|---------------------------------------|----------|-------------|--|
| 5: <b>0.5000 - 2.0000</b> | GreenScreen: LT-UNK                   | RC: None | NANO: No    | SUBSTANCE ROLE: Structure component          |
| HAZARD TYPE               | LIST NAME AND SOURCE                  |          | WARNINGS    |  |
| None found                |                                       |          | Nc          | warnings found on HPD Priority Hazard Lists  |
| ADDITIONAL LISTINGS       | LIST NAME AND SOURCE                  |          | NOTIFICATIO | NC   |
| None found                |                                       |          |             | No listings found on Additional Hazard Lists |

- - - - -

FIBERGLASS

CELLULOSE

ID: 65997-17-3

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Libr | ary            | HAZARI                    | D SCREENING DATE: 2024-01-29 14:03:18       |
|---------------------|------------------------------------|----------------|---------------------------|---|
| %: 0.5000 - 2.0000  | GreenScreen: LT-UNK                | RC: None       | NANO: No                  | SUBSTANCE ROLE: Glass component             |
| HAZARD TYPE         | LIST NAME AND SOURCE               |                | WARNINGS                  |   |
| None found          |                                    |                | Nov                       | warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE               |                | NOTIFICATION              | Ν   |
| EXEMPT              | European Union / European<br>EC)   | Commission (EU | (EU EU - REACH Exemptions |   |
|                     | 20)                                |                | Exempted from safety      | REACH Annex V listing due to intrinsic      |

SUBSTANCE NOTES:

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Librar | У        | HAZAF         | RD SCREENING DATE:       | 2024-01-29 14:09:31   |
|---------------------|--------------------------------------|----------|---------------|--------------------------|-----------------------|
| %: 0.0000 - 1.0000  | GreenScreen: LT-UNK                  | RC: None | NANO: No      | SUBSTANCE ROLE: F        | Processing regulator  |
| HAZARD TYPE         | LIST NAME AND SOURCE                 |          | WARNINGS      |                          |                       |
| None found          |                                      |          | No            | warnings found on HPD    | Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                 |          | NOTIFICATIO   | N                        |                       |
| RESTRICTED LIST     | Green Science Policy Institute       | (GSPI)   | GSPI - Six Cl | asses Precautionary List |                       |
|                     |                                      |          | Some Solven   | ts                       |                       |

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS   | FloorScore®   |   |
|---|---|---|
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: All<br>CERTIFICATE URL:<br>https://www.scsglobalservices.com/certified-<br>clients/certificates/24382 | ISSUE DATE: 2023-11-01 00:00:00<br>EXPIRY DATE: 2024-09-30 00:00:00 | CERTIFIER OR LAB: SCS Global<br>Services                                |
| CERTIFICATION AND COMPLIANCE NOTES:   |   |   |
| MULTI-ATTRIBUTE   | Cradle to Cradle™ Certified V3.1 Silver                             |   |
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: All<br>CERTIFICATE URL:<br>https://pdmsview.shawinc.com/viewer/document/doc/10033?                    | ISSUE DATE: 2022-11-22 00:00:00<br>EXPIRY DATE: 2024-03-21 00:00:00 | CERTIFIER OR LAB: Cradle to<br>Cradle™ Products Innovation<br>Institute |
| CERTIFICATION AND COMPLIANCE NOTES:   |   |   |

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### SHAW 4151 ADHESIVE

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Shaw 4151 Adhesive (or equivalent) is recommended for use with Bio-based PU Resilient flooring. Additional information can be found at: https://qmsview.shawinc.com/viewer/doc/4334

# Section 5: General Notes

https://www.shawcontract.com/en-US/Sustainability/People-Planet

See manufacturer-recommended accessories at https://www.shawcontract.com/en-US/TechnicalPage/Installation

#### MANUFACTURER INFORMATION

MANUFACTURER: Shaw Contract ADDRESS: 230 Douthit Ferry Road Cartersville, GA 30120 COUNTRY: United States WEBSITE: https://www.shawcontract.com/en-us CONTACT NAME: Christine Mullan TITLE: Product Sustainability Manager PHONE: 706-532-2181 EMAIL: Christine.mullan@shawinc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

#### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator<sup>TM</sup>, and when available, full GreenScreen<sup>®</sup> assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.