SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

## **Shaw Industries**

PO Box 2128 Mail Drop 019-01, Dalton, Georgia 30722-2128, United States

For the following product(s):

## **Polymeric Flooring:**

Enrich Plank, Enrich Sheet, Innate, In Tandem Plank, In Tandem Sheet, Innate Sheet, Innate Linen Sheet, Innate Stria Tile, Meaning, Meaning Sheet, Meaning II

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore<sup>®</sup>

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-05137

Valid from: October 01, 2024 to September 30, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsqlobalservices.com/certified-green-products-guide.







Herry

Diana Kirsanova Phillips, Chief of Staff to the CEO/Chief Assurance Officer