

# ALKEMIS PAINT

## SAFETY DATA SHEET

### ALKEMIS PAINT INTERIOR MINERAL PAINT FOR WALLS & CEILINGS

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 08/24/2021 Version: 5.0 SDS No: 0503-0412

## PRODUCT DESCRIPTION

### SECTION 1: Identification

Identification: Product form Mixture

Product name: ALKEMIS Interior Mineral Paint

1.2. Recommended use and restrictions on use

Recommended use: Potassium silicate paint for interior use

Restrictions on use: All other uses are not recommended.

1.3. Supplier

ALKEMIS PAINT

5150 Broadway St. #471

San Antonio, TX 78209, USA

[www.alkemispaint.com](http://www.alkemispaint.com)

[info@alkemispaint.com](mailto:info@alkemispaint.com)

(347) 867-8209

1.4. Emergency telephone number

Emergency CONTACT (24-Hour-Number) Infotrac (USA domestic) 1-800-535-5053

### SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification: Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling: No labeling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification: Alkaline product, avoid contact with skin and eyes.

### SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

# ALKEMIS PAINT

## 3.2. Mixtures

Comments: Aqueous solution of amorphous silica, organically modified, fillers and pigments

Name	Product identifier	%	GHS US classification
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]	CAS-No.: 13463-67-7	10 - 25	Carc. 2, H351

Comments: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ . Full text of hazard classes and H-statements: see section 16.

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general	No specific measures are necessary.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash off immediately with soap and plenty of water. Do not use solvents or thinners. Get medical advice if skin irritation persists.
First-aid measures after eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
First-aid measures after ingestion	Rinse out mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically

## SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media	Product itself does not burn. Fire-extinguishing activities according to surrounding.
---	---

# ALKEMIS PAINT

5.2. Specific hazards arising from the chemical  
Hazardous decomposition products in case of fire

Carbon oxides (CO, CO<sub>2</sub>). Silicon dioxide.

5.3. Special protective equipment and precautions for fire-fighters  
Protection during firefighting

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with skin, eyes and clothing. Respirator must be worn if exposed to dust. Spills of this product present a serious slipping hazard.

6.1.1. For non-emergency personnel – Emergency procedures

Ventilate spillage area. Ensure adequate air ventilation.

6.1.2. For emergency responders – Protective equipment

Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Take up liquid spill into absorbent material. Clean contaminated surface thoroughly.

Other information: Take up liquid spill into absorbent material, e.g.: sand, saw dust. Shovel into suitable and closed container for disposal. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. For further information refer to section 13.

## SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Ensure good ventilation of the work station. Wear personal protective equipment. Keep the container tightly closed.

# ALKEMIS PAINT

Hygiene measures: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a well-ventilated place. Keep cool. Keep only in original container.

Incompatible materials: Acids

Storage area: Keep out of frost. Store away from heat. Keep out of direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ] (13463-67-7)

USA - ACGIH - Occupational Exposure Limits

Local name	Titanium dioxide
ACGIH OEL TWA	10 mg/m <sup>3</sup> (Titanium dioxide; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)

Regulatory reference	ACGIH 2021
----------------------	------------

USA - OSHA - Occupational Exposure Limits

Local name	Titanium dioxide (Total dust)
OSHA PEL TWA [1]	15 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 8.2. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Environmental exposure controls: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Personal protective equipment: Wash hands immediately after handling the product. Do not eat, drink or smoke in areas where product is used.

Hand protection: Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the

# ALKEMIS PAINT

manufacturer of the protective gloves.

Type	Material	Permeation	Thickness (mm)
protective gloves	butyl rubber	6 (> 480 minutes)	0,7
protective gloves	Nitrile rubber	6 (> 480 minutes)	0,4
protective gloves	Nitrile impregnated cotton gloves	6 (> 480 minutes)	0,5

Eye protection:	Safety goggles recommended during refilling
Skin and body protection:	Protection clothes
Respiratory protection:	Breathing apparatus in the event of aerosol or mist formation
Device	Filter type
Breathing equipment	P2

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Pasty.
Color	Various, depending on coloration
Odor	odorless
Odor threshold	No data available
pH	≈ 11 The values are for freshly produced material and may change with the time
Melting point	No data available
Freezing point	No data available
Boiling point	≈ 100 °C
Flash point	No data available
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	Not applicable.
Vapor pressure	≈ 23 hPa
Relative vapor density at 20 °C	No data available
Relative density	No data available
Density	1.4 - 1.6 g/cm <sup>3</sup> The values are for freshly produced material and may change with the time completely miscible.
Solubility	
Log Pow	No data available
Auto-ignition temperature	Not self-igniting
Decomposition temperature	No data available
Viscosity, kinematic	No data available

# ALKEMIS PAINT

Viscosity, dynamic	3000 - 4500 mPa·s The values are for freshly produced material and may change with the time
Explosion limits	No data available
Explosive properties	Product is not explosive.
Oxidizing properties	No data available

## 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Acids.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates Carbon oxides (CO, CO<sub>2</sub>). Silicon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified pH: ≈ 11 The values are for freshly produced material and may change with the time
Serious eye damage/irritation	Not classified

# ALKEMIS PAINT

	pH: $\approx$ 11 The values are for freshly produced material and may change with the time
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
IARC group 2B – titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq$ 10 $\mu$ m] (13463-67-7)	Possibly carcinogenic to humans
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Viscosity, kinematic	No data available

## SECTION 12: Ecological information

### 12.1. Toxicity Ecology - general

The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability - No additional information available

12.3. Bioaccumulative potential - No additional information available

12.4. Mobility in soil - No additional information available

### 12.5. Other adverse effects, Other information

Avoid release to the environment. No ecotoxicological data about this product are known. Product does not contain any organic bound halogens which could lead to AOX-values.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions. Must not be disposed together with household garbage.

Sewage disposal recommendations: Do not discharge into drains.

Additional information: Clean using water and a detergent.

# ALKEMIS PAINT

## SECTION 14: Transport information

In accordance with DOT / TDG / IMDG

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. Proper Shipping Name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user DOT / TDG / IMDG

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ] (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations



# ALKEMIS PAINT

No additional information available

National regulations

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ] (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## Component

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ](13463-67-7)

## State or local regulations

U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-phrases

H351: Suspected of causing cancer

Abbreviations and acronyms

ADR

European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IATA

International Air Transport Association

IMDG

International Maritime Dangerous Goods

# ALKEMIS PAINT

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorization and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IARC	International Agency for Research on Cancer
vPvB	Very Persistent and Very Bioaccumulative
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
CAS	CAS (Chemical Abstracts Service) number
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organization for Economic Co-operation and Development
OEL	Occupational Exposure Limit

# ALKEMIS PAINT

SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
ED	Endocrine disrupting properties

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.