

Material Name: Elmer's Carpenter's Wood Glue-MAX

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Elmer's Carpenter's Wood Glue-MAX Synonyms 69220, 69221, 69222, 69224 E7290 E7300 E7310 E7330 ProBond MAx Wood Glue Product Use adhesives Restrictions on Use None known.

Details of the supplier of the safety data sheet

Newell Office Brands Product of Newell Office Brands, Inc. 6655 Peachtree Dunwoody Rd. NE Atlanta, GA 30328 www.elmers.com Phone: 1.888.435.6377 Emergency Phone #: 1.888.516.2502

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria

GHS Label Elements

Symbol(s) None needed according to classification criteria

Signal Word None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent	
NA	Non-hazardous substance	100	

Page 1 of 7

Issue date: 2020-03-22 Revision 3.0

Print date: 2020-03-22

Page 1 of 7



Material Name: Elmer's Carpenter's Wood Glue-MAX

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. If discomfort persists, contact a physician.

Skin

If on skin, wash immediately with plenty of soap and water. Get medical attention if irritation develops.

Eyes

Remove contact lenses, if present and easy to do. IMMEDIATELY wash with large amounts of warm water, occasionally lifting upper and lower lids, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious or convulsive person. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media carbon dioxide, regular dry chemical, regular foam, water Unsuitable Extinguishing Media None known.

Hazardous Combustion Products

oxides of carbon

Advice for firefighters Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion byproducts. Stay upwind and keep out of low areas.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment. See Section 8 for personal protection information.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Absorb with earth, sand or other non-combustible material and transfer to container. Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Page 2 of 7

Issue date: 2020-03-22 Revision 3.0

Print date: 2020-03-22

Item Numbers: 23892-1005, 23892-1006



Material Name: Elmer's Carpenter's Wood Glue-MAX

None needed according to classification criteria.

Store in accordance with all current regulations and standards. Keep separated from incompatible substances.

Incompatible Materials

oxides of carbon.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Protective clothing is not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Glove Recommendations

Protective gloves are not required under normal conditions.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	beige liquid	Physical State	Liquid	
Odor	Not available	Color	beige	
Odor Threshold	Not available	рН	2.4 - 2.8	
Melting Point	Not available	Boiling Point	100 °C	
Boiling Point Range	Not available	Freezing point	0 °C	
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable	
Autoignition Temperature	Not available	Flash Point	Not available	
Lower Explosive Limit	Not available	Decomposition temperature	Not available	
Upper Explosive Limit	Not available	Vapor Pressure	Not available	
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.1 - 1.13	
Water Solubility	dispersible	Partition coefficient: n-octanol/water	Not available	

Page 3 of 7

Issue date: 2020-03-22 Revision 3.0

Print date: 2020-03-22

Item Numbers: 23892-1005, 23892-1006



Material Name: Elmer's Carpenter's Wood Glue-MAX

SDS ID: SDS-30

Viscosity	Not available	Kinematic viscosity	Not available	
Solubility (Other)	Not available	Density	9.2 - 9.4	
Physical Form	liquid	Molecular Weight	Not available	

Section 10 - STABILITY AND REACTIVITY

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials strong oxidizing materials.

Hazardous decomposition products

Combustion oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50 The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Product Toxicity Data

Acute Toxicity Estimate No data available.

Immediate Effects No information on significant adverse effects.

Delayed Effects No information on significant adverse effects.

Page 4 of 7

Issue date: 2020-03-22 Revision 3.0

Print date: 2020-03-22

Page 4 of 7

Page 4 of 7



Material Name: Elmer's Carpenter's Wood Glue-MAX

Irritation/Corrosivity Data No information on significant adverse effects.

Respiratory Sensitization No information available for the product. **Dermal Sensitization**

No information available for the product.

Component Carcinogenicity None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity No information available for the product.

Tumorigenic Data No data available

Reproductive Toxicity No information available for the product.

Specific Target Organ Toxicity - Single Exposure No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure No target organs identified.

Aspiration hazard No data available.

Medical Conditions Aggravated by Exposure No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability No information available for the product.

Bioaccumulative Potential No information available for the product.

Biodegradation No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods Dispose in accordance with all applicable regulations.

Component Waste Numbers The U.S. EPA has not published waste numbers for this product's components. Section 14 - TRANSPORT INFORMATION

US DOT Information: UN/NA #: Not regulated.

Page 5 of 7

Issue date: 2020-03-22 Revision 3.0

Print date: 2020-03-22

Item Numbers: 23892-1005, 23892-1006



Material Name: Elmer's Carpenter's Wood Glue-MAX

TDG Information: UN#: Not regulated.

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories

No hazard categories applicable.

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA

Not listed under California Proposition 65

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

WHMIS Classification

Not a Controlled Product under Canada's Workplace Hazardous Material Information System

Component Analysis - Inventory

Non-hazardous substance (N	A)
----------------------------	----

US	CA	EU	AU	РН		JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	МХ	TW
No	No	No	No	No	No	No	No						

U.S. Inventory (TSCA)

All the components of this substance are listed on or are exempt from the inventory.

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0 Hazard Scale: $0 = Minimal \ 1 = Slight \ 2 = Moderate \ 3 = Serious \ 4 = Severe$

Summary of Changes Updated SDS: 3/22/2020

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of

Page 6 of 7

Issue date: 2020-03-22 Revision 3.0

Print date: 2020-03-22

Item Numbers: 23892-1005, 23892-1006



Material Name: Elmer's Carpenter's Wood Glue-MAX

SDS ID: SDS-30

Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM -ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL -Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS -Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Issue date: 2020-03-22 Revision 3.0

Print date: 2020-03-22